

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.: 09/827,310 Examiner: Joseph S. Del Sole
 Filing Date: April 6, 2001 Group Art Unit: 1722
 Applicant: Harry Chan and Elio Moy Attorney's Ref.: 1142-2/AMF
 Title: PIPE EXTRUSION DIE FOR MULTILAYER PIPE

Commissioner for Patents
 P.O. Box 1450
 Arlington, VA 22313-1450
 U.S.A.

Dear Sir:

CLAIM FEE CALCULATION SHEET

Filed herewith is an amendment in the above-identified application.

(X) Applicant claims small entity status.

THE FEE HAS BEEN CALCULATED AS SHOWN BELOW:

(Col. 1)		(Col. 2)		(Col. 3)	SMALL ENTITY		OR	LARGE ENTITY	
	Claims Remaining After Amendment		Highest No. Previously Paid For	Present Extra	Rate	Add'l Fee		Rate	Add'l Fee
Total	* 52	Minus	** 54	=	x 9=	\$	OR	x 18=	\$
Indcp.	* 5	Minus	*** 3	= 2	x 43=	\$ 86.00	OR	x 86=	\$
() First Presentation of Multiple Dependent Claim					+145=	\$	OR	+290=	\$
					Total		OR	Total	
					Add.Fee	\$ 86.00		Add.Fee	\$

- () Enclosed is our cheque in the amount of \$ in payment of the extra claim fees.
- (X) Fee of \$86.00 in payment of the extra claim fees is to be charged to our Deposit Account No. 500663. A duplicate copy of this sheet is enclosed.
- (X) The Commissioner is hereby authorized to charge any deficiency or credit any overpayment in the enclosed fees to our Deposit Account No. 500663. A duplicate copy of this sheet is enclosed, if required for this purpose.

Respectfully submitted,


 Dino P. Clarizio
 Registration No. 37572

RECEIVED
CENTRAL FAX CENTER

JAN 13 2004



OFFICIAL

DIMOCK STRATTON CLARIZIO LLP
*Barristers and Solicitors • Patent and Trade-Mark Agents***FAX**

DATE: January 13, 2004

TO: NAME & FIRM	PHONE #	FAX #
Examiner Joseph S. Del Sole United States Patent and Trademark Office GROUP ART UNIT: 1722	1-703-308-6295	1-703-872-9306

FROM: **Dino P. Clarizio**

OUR FILE: 1142-2/AMF

TOTAL PAGES SENT (including this page): 18

Confirmation of facsimile to follow: ☐ Yes ☒ No, unless requestedIf you do not receive all the pages of this facsimile clearly,
please call Liz Forster at (416) 971-7202.**NOTES:****Re: U.S. Patent Application No. 09/827,310***Documents Enclosed: Response to Office Action of
October 14, 2003 (signature page in duplicate); Claim Fee
Calculation Sheet (in duplicate).*This fax may contain information which is confidential and privileged. If you are not
the intended recipient of this fax, you are not permitted to make use of this fax.

If you have received this in error, please notify the sender.

20 Queen Street West, Suite 3202, Box 102, Toronto, Ontario Canada M5H 3R3
Tel: (416) 971-7202 Fax (416) 971-6638
E-mail: firm@dimock.com • www.dimock.com

OFFICIAL

**RECEIVED
CENTRAL FAX CENTER**

JAN 13 2004

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this document and the documents indicated as enclosed herewith are being sent by facsimile transmission to the United States Patent and Trademark Office on the date set forth below.

January 13, 2004
Date


Dino P. Clarizio
Registration No. 37572

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.: 09/827,310

Filing Date: April 6, 2001

Applicant: Harry Chan and Elio Moy

Title: PIPE EXTRUSION DIE FOR
MULTILAYER PIPE

Examiner: Joseph S. Del Sole

Attorney's Ref.: 1142-2/AMF

AMENDMENT

In response to the Official Action
Dated: October 14, 2003

Commissioner for Patents
P.O. Box 1450
Arlington, VA 22313-1450
U.S.A.

Dear Sir:

This is submitted in response to the office action dated October 14, 2003. Please amend the application as follows: